

## Appendix A17.4 Groundwater Quality Analyses Results

## Results Summary - Water

**Project: 14-645 - Greater Dublin Drainage GI: Phase 2**

Client: Causeway Geotech Ltd		Chemtest Job No.:													
Quotation No.:		Chemtest Sample ID.:													
Order No.:		Client Sample Ref.:													
		Chemtest Sample ID.:													
		Sample Type:													
		Top Depth (m):													
		Bottom Depth(m):													
		Date Sampled:													
Determinand	Accred.	SOP	Units	LOD	15-15191	15-15191	15-15191	15-15191	15-15191	15-15191	15-15191	15-15191	15-15191	15-15191	15-15191
Suspended Solids At 105C	U	1030	mg/l	5	5	12	< 5.0	< 5.0	5	72	130	15	71	630	12
Total Dissolved Solids	N	1040	mg/l	1	270	550	450	470	490	470	710	400	390	390	480
Biological Oxygen Demand Low Level	N	1090	mg O2/l	1	8.7	11	2.3	31	1.3	68	19	< 1.0	61	3.2	1
Chemical Oxygen Demand	U	1100	mg O2/l	10	15	14	12	10	19	13	17	12	280	12	< 10
Alkalinity (Total)	U	1220	mg CaCO3/l	10	210	220	230	210	220	230	250	410	480	220	460
Chloride	U	1220	mg/l	1	23	43	37	39	96	39	24	30	57	46	22
Ammoniacal Nitrogen	U	1220	mg/l	0.01	0.32	0.26	0.4	0.37	0.26	0.23	0.23	0.23	0.16	0.31	0.33
Nitrate	U	1220	mg/l	0.5	< 0.50	1.7	34	38	0.72	1.2	2	2.5	< 0.50	9.2	< 0.50
Phosphate	U	1220	mg/l	0.05	0.052	0.051	0.05	< 0.050	< 0.050	0.051	0.05	< 0.050	0.051	0.05	< 0.050
Sulphate	U	1220	mg/l	1	20	340	95	95	170	130	380	50	52	54	58
Calcium	U	1415	mg/l	5	87	90	140	150	73	120	250	110	78	110	150
Potassium	U	1415	mg/l	0.5	2.5	4.9	3.7	2.7	5.2	4.6	4.8	4.1	5.7	1.6	2.5
Magnesium	U	1415	mg/l	0.5	7.9	22	11	19	22	22	20	19	21	12	20
Sodium	U	1415	mg/l	0.5	20	79	17	17	72	21	18	17	45	16	18
Arsenic (Dissolved)	U	1450	µg/l	1	38	3.5	1.3	1.3	1.3	1.5	1.7	< 1.0	2	< 1.0	1.8
Barium (Dissolved)	U	1450	µg/l	5	73	34	40	74	79	110	180	110	91	160	150
Cadmium (Dissolved)	U	1450	µg/l	0.08	0.14	0.093	< 0.080	< 0.080	< 0.080	< 0.080	< 0.080	< 0.080	< 0.080	< 0.080	0.096
Chromium (Dissolved)	U	1450	µg/l	1	2.4	3.8	2	5.4	4.7	5.8	6.3	6.9	11	4.2	3.7
Copper (Dissolved)	U	1450	µg/l	1	1.8	2.4	3.8	< 1.0	3	1.3	3.7	3.2	1.6	3.2	3.8
Mercury (Dissolved)	U	1450	µg/l	0.5	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Manganese (Dissolved)	U	1450	µg/l	1	320	29	7.9	11	890	22	14	18	680	21	160
Molybdenum (Dissolved)	U	1450	µg/l	1	3.6	18	< 1.0	< 1.0	21	7.2	5.3	2.5	11	1.3	3.7
Nickel (Dissolved)	U	1450	µg/l	1	2.7	3.2	3	3.5	4.7	4	11	6.4	9.3	5.4	5
Lead (Dissolved)	U	1450	µg/l	1	< 1.0	4.7	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.6	50	2.1	4.1
Antimony (Dissolved)	U	1450	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	3.4	< 1.0	< 1.0	< 1.0
Selenium (Dissolved)	U	1450	µg/l	1	1.1	3.7	3.7	1.2	1.7	2	2.2	2	< 1.0	18	2.4
Zinc (Dissolved)	U	1450	µg/l	1	15	25	29	13	15	15	26	22	16	22	34
Iron (Dissolved)	N	1470	µg/l	20	20	20	< 20	< 20	20	< 20	< 20	< 20	1300	< 20	20
Chromium (Hexavalent)	U	1490	µg/l	20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
Mineral Oil	U	1670	µg/l	10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	1600	< 10	< 10
TPH >C6-C10	N	1670	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	59	< 0.10	< 0.10
TPH >C10-C21	N	1670	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	2300	< 0.10	< 0.10
TPH >C21-C40	N	1670	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	36	< 0.10	< 0.10

**Project: 14-645 - Greater Dublin Drainage GI: Phase 2**

Client: Causeway Geotech Ltd		Chemtest Job No.: 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191														
Quotation No.:		Chemtest Sample ID.: 160391 160393 160395 160397 160399 160401 160402 160403 160504 160505 160506														
Order No.:		Client Sample Ref.:														
		Chemtest Sample ID.: BH121 BH126 BH106 BH109 BH123 BH119 BH114 BH116 BH139 BH134 BH130														
		Sample Type: WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER														
		Top Depth (m):														
		Bottom Depth(m):														
		Date Sampled: 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15														
Determinand	Accred.	SOP	Units	LOD												
Total TPH >C6-C40	U	1670	µg/l	10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	2400	< 10	< 10
Dichlorodifluoromethane	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Chloromethane	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Vinyl Chloride	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Bromomethane	N	1760	µg/l	2	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Chloroethane	N	1760	µg/l	0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
Trichlorofluoromethane	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,1-Dichloroethene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Trans 1,2-Dichloroethene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,1-Dichloroethane	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
cis 1,2-Dichloroethene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Bromochloromethane	N	1760	µg/l	0.5	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Trichloromethane	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,1,1-Trichloroethane	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Tetrachloromethane	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,1-Dichloropropene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Benzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Benzene	U	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloroethane	N	1760	µg/l	0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
Trichloroethene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,2-Dichloropropane	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Dibromomethane	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Bromodichloromethane	N	1760	µg/l	0.5	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,3-Dichloropropene	N	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Toluene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Toluene	U	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trans-1,3-Dichloropropene	N	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane	N	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,3-Dichloropropane	N	1760	µg/l	0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
Dibromochloromethane	N	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dibromoethane	N	1760	µg/l	0.5	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chlorobenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10

### Project: 14-645 - Greater Dublin Drainage GI: Phase 2

Client: Causeway Geotech Ltd		Chemtest Job No.: 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191													
Quotation No.:		Chemtest Sample ID.: 160391 160393 160395 160397 160399 160401 160402 160403 160504 160505 160506													
Order No.:		Client Sample Ref.:													
		Chemtest Sample ID.: BH121 BH126 BH106 BH109 BH123 BH119 BH114 BH116 BH139 BH134 BH130													
		Sample Type: WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER													
		Top Depth (m):													
		Bottom Depth(m):													
		Date Sampled: 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15													
Determinand	Accred.	SOP	Units	LOD											
1,1,1,2-Tetrachloroethane	N	1760	µg/l	0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
Ethylbenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Ethylbenzene	U	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
M & P-Xylene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
m & p-Xylene	U	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
O-Xylene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
o-Xylene	U	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Styrene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Tribromomethane	N	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Isopropylbenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Bromobenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,2,3-Trichloropropane	N	1760	µg/l	5	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
N-Propylbenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
2-Chlorotoluene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,3,5-Trimethylbenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
4-Chlorotoluene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Tert-Butylbenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,2,4-Trimethylbenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Sec-Butylbenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,3-Dichlorobenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
4-Isopropyltoluene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,4-Dichlorobenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
N-Butylbenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,2-Dichlorobenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,2-Dibromo-3-Chloropropane	N	1760	µg/l	5	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
1,2,4-Trichlorobenzene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Hexachlorobutadiene	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
1,2,3-Trichlorobenzene	N	1760	µg/l	0.2	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
Methyl Tert-Butyl Ether	N	1760	µg/l	0.1	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Methyl Tert-Butyl Ether	N	1760	µg/l	1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
N-Nitrosodimethylamine	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Phenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2-Chlorophenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050

**Project: 14-645 - Greater Dublin Drainage GI: Phase 2**

Client: Causeway Geotech Ltd		Chemtest Job No.: 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191 15-15191													
Quotation No.:		Chemtest Sample ID.: 160391 160393 160395 160397 160399 160401 160402 160403 160504 160505 160506													
Order No.:		Client Sample Ref.:													
		Client Sample ID.: BH121 BH126 BH106 BH109 BH123 BH119 BH114 BH116 BH139 BH134 BH130													
		Sample Type: WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER WATER													
		Top Depth (m):													
		Bottom Depth(m):													
		Date Sampled: 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15 30-Jun-15													
Determinand	Accred.	SOP	Units	LOD											
Bis-(2-Chloroethyl)Ether	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
1,3-Dichlorobenzene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
1,4-Dichlorobenzene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
1,2-Dichlorobenzene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2-Methylphenol (o-Cresol)	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Bis(2-Chloroisopropyl)Ether	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Hexachloroethane	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
N-Nitrosodi-n-propylamine	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
4-Methylphenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Nitrobenzene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Isophorone	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2-Nitrophenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2,4-Dimethylphenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Bis(2-Chloroethoxy)Methane	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2,4-Dichlorophenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
1,2,4-Trichlorobenzene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Naphthalene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
4-Chloroaniline	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Hexachlorobutadiene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
4-Chloro-3-Methylphenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2-Methylnaphthalene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Hexachlorocyclopentadiene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2,4,6-Trichlorophenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2,4,5-Trichlorophenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2-Chloronaphthalene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2-Nitroaniline	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Acenaphthylene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Dimethylphthalate	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2,6-Dinitrotoluene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Acenaphthene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
3-Nitroaniline	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Dibenzofuran	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
4-Chlorophenylphenylether	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050

## Results Summary - Water

### Project: 14-645 - Greater Dublin Drainage GI: Phase 2

Client: Causeway Geotech Ltd		Chemtest Job No.:													
Quotation No.:		Chemtest Sample ID.:													
Order No.:		Client Sample Ref.:													
		Chemtest Sample ID.:													
		Sample Type:													
		Top Depth (m):													
		Bottom Depth(m):													
		Date Sampled:													
Determinand	Accred.	SOP	Units	LOD											
2,4-Dinitrotoluene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Fluorene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Diethyl Phthalate	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
4-Nitroaniline	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
2-Methyl-4,6-Dinitrophenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Azobenzene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
4-Bromophenylphenyl Ether	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Hexachlorobenzene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Pentachlorophenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Phenanthrene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Anthracene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Carbazole	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Di-N-Butyl Phthalate	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Fluoranthene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Pyrene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Butylbenzyl Phthalate	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Benzo[a]anthracene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Chrysene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Bis(2-Ethylhexyl)Phthalate	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Di-N-Octyl Phthalate	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Benzo[b]fluoranthene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Benzo[k]fluoranthene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Benzo[a]pyrene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Indeno(1,2,3-c,d)Pyrene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Dibenz(a,h)Anthracene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Benzo[g,h,i]perylene	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
4-Nitrophenol	N	1790	µg/l	0.05	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050

## Results Summary - Water

### Project: 14-645 - Greater Dublin Drainage GI: Phase 2

Client: Causeway Geotech Ltd	<b>Chemtest Job No.:</b>				15-15191	15-15191	15-15191	15-15191	15-15191	15-15191	15-15191	15-15191	15-15191	15-15191	
Quotation No.:	<b>Chemtest Sample ID.:</b>				160391	160393	160395	160397	160399	160401	160402	160403	160504	160505	160506
Order No.:	Client Sample Ref.:														
	<b>Client Sample ID.:</b>				BH121	BH126	BH106	BH109	BH123	BH119	BH114	BH116	BH139	BH134	BH130
	Sample Type:				WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER
	Top Depth (m):														
	Bottom Depth(m):														
	Date Sampled:				30-Jun-15	30-Jun-15	30-Jun-15	30-Jun-15	30-Jun-15	30-Jun-15	30-Jun-15	30-Jun-15	30-Jun-15	30-Jun-15	30-Jun-15
<b>Determinand</b>	<b>Accred.</b>	<b>SOP</b>	<b>Units</b>	<b>LOD</b>											
<b>Determinand</b>	<b>Accred.</b>	<b>SOP</b>	<b>Units</b>	<b>LOD</b>											
E. coli (Subcon)	SU		cfu/100ml		0	2	0	8	0	0	0	0	0	0	0
Total Coliforms (Subcon)	SU		cfu/100ml		0	3	0	8	0	0	0	21	0	390	0
TVC @ 22°C (Subcon)	SU		cfu/ml		12000	5800	1200	144000	16000	25600	5000	47000	10100	12000	168000
TVC @ 37°C (Subcon)	SU		cfu/ml		650	0	880	23000	240	2420	0	430	2400	530	10800

Page left intentionally blank